



Complete Integrated LED Lighting Solutions

# Quickship

5-DAY QUICKSHIP PROGRAM





Complete Integrated LED Lighting Solutions

## 5-DAY QUICKSHIP PROGRAM

Too often, time constraints lower the quality of products selected. Acolyte's 5 Day Quickship Program is a remedy.

Acolyte formulates proprietary phosphor recipes to provide unparalleled color accuracy, and an elite 2-step MacAdam's Ellipse. We manufacture the industry's best heat-sinking and conductivity by utilizing 3 ounces of copper in our PCB boards, whereas the industry standard uses only 1 ounce of copper. We guide you every step of the way by offering World-Class Applications support on best practices for specification, application and maintenance of our Ribbonlyte™.

We control the entire design, manufacturing and delivery process, enabling customer requests to mark shipping packages with special project-location instructions. These operational values permeate our culture, and we welcome you to explore our portfolio at [www.acolyteled.com](http://www.acolyteled.com).

We invite you to revisit our website as we continually expand our 5 Day Quickship Program.

### FEATURES



### QUICKSHIP PROGRAM TERMS

- A specific PO labeled "QUICKSHIP" is required for QUICKSHIP orders.
- Orders containing products not offered in the QUICKSHIP Program must be submitted separately.
- Orders received before 12:00pm EST are counted as Day 1.
- Orders will ship from our facility within 5 days of Day 1 (excluding weekends & holidays).
- QUICKSHIP orders may not be cancelled at any time.
- Maximum ordering length of a single item is 250 feet per order.
- Program terms are in conjunction with Acolyte's Standard Terms & Conditions.

## AVAILABLE PRODUCTS

### RibbonLyte\*

Custom cuts available



Static White RibbonLyte

Wattage: 3.0, 4.4  
2400k, 3000K, 4100K



RGB RibbonLyte

Wattage: 4.4



RGBW RibbonLyte

Wattage: 4.4

### Driver



Hatch Driver 100w Class 2  
Universal AC Input

### ASI Channel



Milky Lens



Frosted Lens

### DMX Controllers



5-Channel  
DMX Interface



1 Zone DMX  
Wall Controller



Philips Xitanium  
0-10V Dimming Module



Lutron Nova T  
Dimmer

\*Each piece of RibbonLyte includes 12" of wire to bare ends.

## SELECT YOUR RIBBONLYTE & DRIVER

---

### 1 - Category

**RBSW** - Static White RibbonLyte  
**RBRGB** - RGB RibbonLyte  
**RBRGBW** - RGBW RibbonLyte

### 2 - Application

**Blank** - None (IP20)

### 3 - Voltage

**24** - 24V

### 4 - Wattage<sup>1</sup>

**3.0** - 3.0W  
**4.4** - 4.4W

### 5 - Color temp<sup>1</sup>

**24** - 2400K  
**30** - 3000K  
**41** - 4100K

### + 1 - Driver

**DRVW24100277-HTC**  
Hatch Driver 100w Class 2  
Universal AC Input

## SELECT LENS & LENGTH FOR YOUR CHANNEL (OPTIONAL)

---

### 1 - Channel

**CHAS1** - AS1 Aluminum Channel

### 2 - Lens

**M** - Milky (70% light output)  
**F** - Frosted (85% light output)

### 3 - Length<sup>2</sup>

**2** - 2 meters

## SELECT YOUR CONTROLLER (OPTIONAL)<sup>3</sup>

---

### 1 - Controller for RGB or RGBW

**DMXINFLCD5** - 5-Channel DMX Interface with Digital Display  
**AWCRGBW** - 1 Zone DMX Programmable Wall Controller

### 1 - Controller for Static White RibbonLyte

**LVDIMMOD** - Philips Xitanium 0-10V Dimming Module  
**LVDIMNOVA** - Lutron Nova T Dimmer

1 - Wattage and Color Temp only applies to Static White RibbonLyte. Leave blank for RGB/ RGBW.  
2 - Channel is offered in 2 meter lengths only.  
3 - AWCRGBW requires DMXINFLCD5.



ACOLYTE LED

251 West 30th St, Suite 12E  
New York, NY 10001

P. 212.629.6830 F. 772.382.8379  
info@acolyteled.com

www.acolyteled.com

© 2016 Acolyte Industries Inc. All rights reserved